

Inline Cabinet Fan, Model CSP-A1550, 115V, 1 Ph, 999-1672 CFM




Model CSP inline fans are high performance fans designed for exhaust, supply or return air applications where low sound level are required. Units feature an insulated, galvanized steel housing with a forward-curved wheel.


- 22.625 x 13.25 inch inlet width x height
- 17.4375 x 8 inch outlet width x height
- Speed controllable, with up to 30% turndown

Certifications

UL/cUL 507
AMCA Air



Performance Characteristics



Construction Features

| | |
|--------------------|-------------------|
| Drive Type | Direct Drive |
| Impeller Type | Centrifugal Wheel |
| Impeller Material | Polypropylene |
| Housing Material | Galvanized Steel |
| Includes | Backdraft damper |
| Includes | Access Panel |
| Includes | Mounting brackets |
| Certifications | UL/cUL 507 |
| Certifications | AMCA Air |
| Speed Controllable | Yes |

Air and Sound Performance

| Watts | Max Fan RPM | Min Fan RPM | Ps (in. wg) | 0 | 0.125 | 0.25 | 0.375 | 0.5 | 0.625 | 0.75 | 0.875 | 1 | 1.25 |
|-------|-------------|-------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| 913 | 1610 | 1288 | CFM | 1,672 | 1,604 | 1,543 | 1,484 | 1,427 | 1,367 | 1,307 | 1,240 | 1,172 | 999 |
| | | | Sones | 5.9 | 5.3 | 5.4 | 5.4 | 5.1 | 5.1 | 5.3 | 5.4 | 5.5 | 6.2 |